AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in this application:

Listing of claims:

1. (Currently Amended) A process for the preparation of poly(silyl ester)s comprising a structural unit of the formula (I)

wherein each R_4 and R_5 may be hydroxyl or may be independently selected from hydrogen, alkyl, cycloalkyl, aryl, alkoxyl, aryloxyl, -L' -SiR₁R₂-, - L' -SiR₄R₅R₁₀, - L' - (SiR₄R₅ L') n-SiR₁R₂-, alkenyl, alkynyl, aralkyl or aralkyloxyl radicals optionally substituted by one or more substituents independently selected from the group comprising alkyl, alkoxyl, aralkyl, aralkyloxyl, hydroxyl, aryl, aryloxyl, halogen, amino (preferably, tertiary amino) or amino alkyl radicals, or each R_4 and/or R_5 may independently be an -O-Z(O)-L- group, where R_{10} is defined as is R_7 below,

wherein each R_1 and R_2 may independently represent hydrogen, hydroxyl, alkyl, cycloalkyl, alkenyl, alkoxyl, - L'-SiR₄R₅R₁₀, aryl, aryloxyl, aralkyl or aralkyloxyl radical optionally substituted by one or more substituents independently selected from the group comprising alkyl, alkoxyl, aralkyl, aralkyloxyl, aryl, aryloxyl, halogen, hydroxyl, amino (preferably, tertiary amino) or amino alkyl radicals, or each R_1 and/or R_2 may independently be an -O-Z(O)-L- group,

wherein L represents a hydrocarbyl or substituted hydrocarbyl group, wherein said substituted hydrocarbyl is substituted by one or more substituents independently selected

from the group comprising alkyl, cycloalkyl, carboxyl, substituted carboxyl, alkoxyl, aralkyl, aralkyloxyl, aryl, aryloxyl, hydroxyl, halogen, amino or amino alkyl radicals, or a polymer,

L' represents O, S, or NR₆, L- $(NR_6-L)_p$ (where p=1 to 10), where R₆ is defined as is R₇ below, or L,

each n independently represents a number of $-Si(R_4)(R_5)$ - L' - groups from 0 to 1000,

and y represents a number of silyl ester repeat units from 2 to 100000,

which process comprises the step of reacting;

a polyacid of formula (II)

(II)

wherein Z(O)OH represents the acid moiety attached to L, m is an integer from 2 to 100000, and L is as defined above, with a polyacyloxysilyl derivative of formula (III)

wherein R_1 , R_2 , R_4 , R_5 , L' and n are as defined above, R_1 , R_2 , R_4 and R_5 in (III) are -O-Z(O)- R_8 , where R_8 is defined as is R_7 below, when the equivalent group in (I) is -O-Z(O)-

L-, and R_7 is a hydrogen atom, an aralkyl, aryl, alkenyl, alkynyl, or alkyl group optionally substituted with on or more substituents selected from the equivalent substituents as defined for R_1 , R_2 , R_4 and R_5 above,

and R₃ is the group -O-Z-(O)-R₉, where R₉ is defined as is R₇ above,

whilst removing the formed acid group(s) of formula (IV) and (VI),

 $R_7 Z(O)OH (IV)$

 $R_9 Z(O)OH(V),$

 $R_8 Z(O)OH) (VI),$

from the system.

- 2. (Original) A process according to claim 1, wherein y is 2 to 1000.
- 3. (Currently Amended) A process according to <u>claim 1either of claims-1 and 2</u>, wherein R_4 and R_5 each independently represent alkyl, an alkoxyl, an aryl, an hydroxyl group or -L' $(SiR_4R_5 L')_n$ -SiR₁R₂- group, wherein L', R₁, R₂, R₄ and R₅ are as defined in claim 1.
- 4. (Original) A process according to claim 3, wherein n = 0-100.
- 5. (Original) A process according to claim 3, wherein n = 0-10.
- 6. (Original) A process according to claim 3, wherein n is 0 or 1.
- 7. (Currently Amended) A process according to any preceding claim_1, wherein R₄ and R₅ in formula (III) are each independently selected from the group comprising an alkyl group, an hydroxyl group, an alkoxyl group or an L' -(SiR₄R₅ L') _n-SiR₁R₂- group, wherein L', R₁, R₂, R₄ and R₅ are as defined in claim 1.

- 8. (Original) A process according to claim 7 wherein R₁, R₂, R₄ and R₅ each independently represent an alkyl group, branched or linear.
- 9. (Currently Amended) A process according to any preceding claim 1, wherein L' represents O.
- 10. (Currently Amended) A process according to any preceding claim 1, wherein Z represents C, POH, P or S=O, more preferably C.
- 11. (Original) A process according to claim 1, wherein R₁, R₂, R₄, R₅ and R₈ are each independently selected from the group comprising methyl, ethyl, propyl, isopropyl, isobutyl, n-butyl, sec-butyl, t-butyl., phenyl, and vinyl.
- 12. (Original) A process according to claim 11, wherein R₁, R₂, R₄ and R₅ are selected from the group consisting of methyl, ethyl, isopropyl, phenyl, and vinyl.
- 13. (Original) A process according to claim 11, wherein R₁, R₂, R₄, R₅ and R₈ are methyl.
- 14. (Currently Amended) A process according to any preceding claim 1, wherein R₆ is methyl.
- 15. (Currently Amended) A process according to any preceding-claim 1, wherein the groups R₁ and R₂ are the same.
- 16. (Currently Amended) A process according to any preceding claim 1, wherein the groups R₇ and R₉ are the same.
- 17. (Original) A process according to claim 16, wherein R₇ and R₉ are alkyl.
- 18. (Original) A process according to claim 16, wherein R₇ and R₉ are methyl.

- 19. (Original) A process according to claim 1, wherein the polyacid of formula (II) is a polycarboxylic acid.
- 20. (Original) A process according to claim 19, wherein the polycarboxylic acid is a dicarboxylic acid.
- 21. (Currently Amended) A process according to any preceding claim_1, wherein L represents an alkyl, aryl., alkenyl, alkynyl, or aralkyl radical, or a polymer, preferably comprising 1 to 10000 carbon atoms.
- 22. (Currently Amended) A process according to claim 1, wherein L represents -(CH₂)_n-, and n is an integer between 1 and 10, preferably between 2 and 8, more preferably between 4-and 6, most preferably 4.
- 23. (Original) A process according to claim 20, wherein the dicarboxylic acid is selected from adipic acid, oxalic acid, succinic acid, glutaric acid, phthalic or isophthalic or terephthalic acids, di-lactic acid, and rosinous dicarboxylic acids.
- (Original) A process according to claim 1, wherein the polyacyloxysilyl derivatives of formula (III) are selected from tetraisoproply-1,3-diacetoxydisiloxane, tetramethyl 1,3-diacetoxydisiloxane, dimethyldiacetoxysilane, diethyldiacetoxysilane, diphenyldiacetoxysilane, vinylmethyldiacetoxysilane, methyltriacetoxysilane, ethyltriacetoxysilane, vinyltriacetoxysilane, phenyltriacetoxysilane, tetraacetoxysilane, (butanoic acid, 1,3,5-triethyl-1,3,5-tripropyl-1,5-trisiloxanediyl ester), (1,5-trisiloxanediol, 1,3,5-triethyl-1,3,5-tripropyl-, dipropanoate), (2-silanaphthalen-2-ol, 1,2,3,4-tetrahydro-2-(7-hydroxy-1,1,3,3,5,5,7,7-octamethyltetrasiloxanoxy)-, diacetate), (2-silanaphthalen-2-ol, 1,2,3,4-tetrahydro-2-(5-hydroxy-1,1,3,3,5,5-hexamethyltrisiloxanoxy)-, diacetate), (2-silanaphthalen-2-ol, 1,2,3,4-tetrahydro-2-(3-hydroxy-1,1,3,3-tetramethyldisiloxanoxy)-, diacetate), (1,9-pentasiloxanediol, 1,3,5,7,9-pentamethyl-1,3,5,7,9-pentavinyl-, diacetate), (1,7-tetrasiloxanediol, 1,3,3,5,5,7,7-octaethyl-, diacetate), (1,5-tetramethyl-, diacetate), (1,7-tetrasiloxanediol, 1,1,3,3,5,5,7,7-octaethyl-, diacetate), (1,5-tetramethyl-, diacetate), (1,5-tetrasiloxanediol, 1,1,3,3,5,5,7,7-octaethyl-, diacetate), (

trisiloxanediol, 1,3,5-triethenyl-1,3,5-trimethyl-, diacetate), (heptasiloxane, 1,1,1,13tetraacetoxy-3,3,5,5,7,7,9,9,11,11,13,13-dodecamethyl), (1,5-trisiloxanediol, 1,3,5triethyl-1,3,5-trimethyl-, diacetate), (1,5-trisiloxanediol, 1,1,3,3,5,5,-hexaethyl-, dibutyrate), (1,5-trisiloxanediol, 1,1,3,3,5,5-hexaethyl-, dipropionate), (1,5trisiloxanediol, 1,3,5-triethyl-1,3,5-tripropyl-, diacetate), (1,5-trisiloxanediol, 1,1,3,3,5,5hexaethyl-, diacetate), (1, 1,1,7-tetrasiloxanetetrol, 3,3,5,5,7,7-hexamethyl-, triacetate), (1,5-trisiloxanediol, 1,1,3,5,5-pentamethyl-3-vinyl-, diacetate), (1-tetrasiloxanol, 7acetyl-1,1,3,3,5,5,7,7-octamethyl-, acetate), (1-pentasiloxanol, 9-acetyl-1,1,3,3,5,5,7,7,9,9-decamethyl-, acetate; pentasiloxanol, 9-acetyl-1,1,3,3,5,5,7,7,9,9decamethyl-, acetate), (1,9-pentasiloxanediol, decamethyl-, diacetate), (1,5trisiloxanediol, hexamethyl-, diacetate), (1,17-nonasiloxanediol, octadecamethyl-, diacetate), (1,15-octasiloxanediol, hexadecamethyl-, diacetate), (1,7,13heptasiloxanetriol, tridecamethyl-, triacetate), (1,1,7-tetrasiloxanetriol, 1,3,3,5,5,7,7heptamethyl-, triacetate), (1,13-heptasiloxanediol, tetradecamethyl-, diacetate), (1,7tetrasiloxanediol, 1,1,3,3,5,5,7,7-octamethyl-, diacetate), ditert-butyldiacetotoxysilane, and ditert-butoxydiacetoxysilane.

- 25. (Currently Amended) A process according to any preceding claim 1, wherein the reaction is carried out in a suitable solvent.
- 26. (Original) A process as claimed in claim 25, wherein the solvent is selected from pentane, cyclopentane, hexane, cyclohexane, heptane, toluene, xylene, benzene, mesitylene, ethylbenzene, octane, decane, decahydronaphthalene, diethyl ether, diisopropyl ether, diisolbutyl ether, N,N-dimethylformamide, N-methylpyrrolidone, N,N-dimethylacetamide, and mixtures thereof.
- 27. (Currently Amended) A process according to <u>claim 25</u> either of claims 25 and 26, wherein the solvent forms a heterogeneous low boiling azeotrope with the distilled acid product.

- 28. (Currently Amended) A process according to any preceding claim_1, wherein the molar ratio of the reactive groups present in the polyacyloxysilyl derivative: acid is between 1:100 and 100:1.
- 29. (Currently Amended) A process according to any preceding claim 1, wherein the solvent, where present, is at least 10 wt% of the total reaction mix at the start of the reaction.
- 30. (Currently Amended) A process according to any preceding claim 1, wherein the molecular weight is in the range 1000 to 1000000 kD.
- 31. (Original) A process according to claim 30, wherein the molecular weight is in the range 1000 to 100000 kD.
- 32. (Original) A process according to claim 30, wherein the molecular weight is in the range 1000 to 10000 kD.
- 33. (Currently Amended) A process according to any preceding claim 1, wherein m is 2.
- 34. (Currently Amended) A process according to any preceding claim_1, wherein each R₄ and R₅ may be hydroxyl or may be independently selected from alkyl, aryl, alkoxyl, aryloxyl, -L'-SiR₁R₂-, -L'-(SiR₄R₅ L')_n-SiR₁R₂-, alkenyl, alkynyl, aralkyl or aralkyloxyl radicals optionally substituted by one or more substituents independently selected from the. group comprising alkyl, alkoxyl, aralkyl, aralkyloxyl, hydroxyl, aryl, aryloxyl, halogen, amino (preferably, tertiary amino) or amino alkyl radicals, or R₄ or R₅ may independently be an -O-C (O) -L- group;

wherein each R_1 and R_2 may independently represent hydrogen, hydroxyl, alkyl, alkenyl, alkynyl, aryl, aryloxyl, aralyl or aralkyloxyl radical optionally substituted by one or more substituents independently selected from the group comprising alkyl, alkoxyl, aralkyl, aralkyloxyl, aryl, aryloxyl, halogen, hydroxyl, amino (preferably tertiary amino) or amino alkyl radicals, or R_1 or R_2 may independently be an -O-C(O)-L- group,

wherein L represents a hydrocarbyl or substituted hydrocarbyl group, wherein said substituted hydrocarbyl is substituted by one or more substituents independently selected from the group comprising alkyl, alkoxyl., aralkyl, aralkyloxyl, aryl, aryloxyl, hydroxyl, halogen, amino or amino alkyl radicals, or a polymer with pendant acid groups; and

L' represents O, S, or NR_6 , where R_6 is defined as is R_7 , or L.

- 35. (Currently Amended) A process according to <u>claim 1 any one of claims 1 to 34</u> which includes the additional step of incorporating the polymer in a film or coating composition.
- 36. (Canceled)
- 37. (Currently Amended) A film or coating comprising a polymer as prepared or obtainable by a process as defined in <u>claim 1 any of claims 1 to 34</u>.
- 38. (Currently Amended) A poly(silyl ester) prepared or obtainable by a process as defined in claim 1 any one of claims 1 to 34.
- 39. (Currently Amended) A coating or film composition comprising a poly(silyl ester) as prepared or obtainable by a process in accordance with <u>claim 1 any of claims 1 to 34</u>.
- 40. (Currently Amended) A poly (silyl ester) comprising the repeating group (I) as defined in claim 1 to 34, and wherein L is a polylactic acid or substituted polylactic acid residue or a rosin or substituted rosin residue of a polycarboxylic acid.
- 41. (Original) A coating or film composition comprising a poly(silyl ester) according to claim 40.

- 42. (Currently Amended) A coating or film composition according to claim 39-or 41 wherein the composition is an antifouling coating or film composition.
- 43. (Currently Amended) A coating or film composition according to claim 39-or 41 wherein the composition is suitable for use in medical and/or veterinary applications to provide controlled release of a bioactive substance.
- 44. (Currently Amended) A film or coating comprising a poly(silyl ester) according to claim 40as prepared or obtainable by a process in accordance with claim 34.
- 45. (Currently Amended) An implantable medical and/or veterinary device having a coating comprising a coating or film composition according to <u>claim 39 claims 39, 41 or 43</u>.
- 46. (New) A process according to claim 1, wherein in the definitions of R_1 , R_2 , R_4 or R_5 , the amino radical is a tertiary amino radical.
- 47. (New) A process according to claim 10, wherein Z represents C.
- 48. (New) A process according to claim 22, wherein L represents $-(CH_2)_{n-}$, and n is an integer between between 2 and 8.
- 49. (New) A process according to claim 22, wherein L represents $-(CH_2)_n$, and n is an integer between between 4 and 6.
- 50. (New) A process according to claim 22, wherein L represents $-(CH_2)_{n-}$, and n is 4.
- 51. (New) A coating or film composition according to claim 41 wherein the composition is suitable for use in medical and/or veterinary applications to provide controlled release of a bioactive substance.

52.	(New) An implantable medical and/or veterinary device having a coating comprising a
	coating or film composition according to claim 41.
	-
	,
	•